Chapter ILHR 67

RENTAL UNIT ENERGY EFFICIENCY STANDARDS

Subchapter I	Subchapter IV				
Purpose and Scope	Inspection and Certification of Rental Units				
ILHR 67.01 Purpose (p. 1)	ILHR 67.07 Request for energy efficiency				
ILHR 67.02 Scope (p. 1)	inspection (p. 12)				
ILHR 67.03 Application (p. 2)	ILHR 67.08 Issuance of certificate,				
Subchapter II	waiver or stipulation (p. 13)				
D'efinitions	ILHR 67.09 Proof of certification (p. 15)				
ILHR 67.04 Definitions (p. 2)	ILHR 67.10 Recordation (p. 15)				
4. ,	ILHR 67.11 Revocation of certificate (p.				
Subchapter III	15)				
Rental Unit Energy Efficiency Standards	Subchapter V				
ILHR 67.05 Energy efficiency standards	Appeals and Penalties				
(p. 5)	ILHR 67.12 Appeals (p. 15)				
ILHR 67.06 Cost payback exemptions (p.	ILHR 67.13 Penalties (p. 16)				
8)	imite often Lengthes (b. 10)				

Subchapter I Purpose and Scope

ILHR 67.01 Purpose. The purpose of this chapter is to establish rules for the department to administer and enforce s. 101,122, Stats.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; r. and recr. Register, December, 1984, No. 348, eff. 1-1-85.

ILHR 67.02 Scope. The rules contained in this chapter establish minimum energy efficiency standards for rental units that must be met before the ownership of a rental unit may be transferred; inspection procedures for determining whether a rental unit complies with the energy efficiency standards specified in this chapter; procedures for certifying that a rental unit meets the energy efficiency standards specified in this chapter; procedures for obtaining an exemption from a specific energy conservation measure based on a 5-year cost payback; procedures for obtaining a stipulation or waiver for rental units that do not meet the standards specified in this chapter; and procedures that the department will use to administer and enforce this chapter.

- (1) STATE RENTAL UNIT ENERGY CODE. The energy efficiency standards in this chapter shall apply to all rental units in this state unless specifically exempted.
- (2) MUNICIPAL RENTAL UNIT ENERGY CODES. After the effective date of this chapter, no municipality may enforce a code or ordinance of minimum energy efficiency standards for rental units in the municipality unless the energy efficiency standards of the code or ordinance are at least as strict as the energy efficiency standards specified in this chapter.
- (a) Department authorization. The department may authorize a municipality in writing to issue the department certificate specified in s. ILHR 67.08, if the department determines that the municipality can provide adequate inspection service of the standards under subch. III.
- (b) Filing of certificates. A copy of all certificates issued by the municipality under par. (a) shall be filed with the department.
- (c) Revocation of municipal authority. The department may revoke the authority of a municipality to issue the department certificate at any Register, April, 1985, No. 352

time that it determines the municipality is issuing department certificates without adequate inspection of the standards under subch. III.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; r. and recr. (intro.), Register, December, 1984, No. 348, eff. 1-1-85.

- ILHR 67.03 Application. (1) RENTAL UNITS COVERED. After January 1, 1985, no owner may transfer a rental unit unless an inspector certified by the department has issued a certificate indicating that the rental unit meets the rental unit energy efficiency standards specified in this chapter; or unless a waiver has been issued as specified in s. ILHR 67.08 (2); or unless a stipulation is issued as specified in s. ILHR 67.08 (3).
- (2) RENTAL UNITS EXCLUDED. The following rental units are excluded from the provisions of this chapter:
- (a) Any dwelling unit not rented at any time from November 1 to March 31;
- (b) Any building which contains up to 4 rental units and one of the dwelling units is occupied by the owner;
 - (c) Any building constructed after December 1, 1978, which contains up to 2 dwelling units and which is less than 10 years old;
 - (d) Any building constructed after April 15, 1976, which contains more than 2 dwelling units and which is less than 10 years old;
 - (e) Mobile homes;
 - (f) Hotels and motels used primarily for transient residency;
 - (g) Health care facilities; and
 - (h) Buildings which are declared condominiums under ch. 703, Stats., prior to the effective date of the rules contained in this chapter.
 - (3) MULTIPLE USE OCCUPANCY, Any building which contains a rental unit, and which is not excluded under sub. (2), and is located in a building with another occupancy shall comply with the following:
 - (a) If the rental unit comprises more than 50% of the total gross area of the building, the entire building shall be made to conform to the provisions of this chapter.
 - (b) If the rental unit comprises 50% or less of the total gross area of the building, only items specific or unique to the rental unit portion of the building shall comply with the provisions of this chapter.
 - (4) RENTAL UNITS IN CONDOMINIUMS. Any unit which serves as a rental unit in a condominium building which is not excluded under sub. (2) shall, at the time of transfer, be brought into compliance with the provisions of s. ILHR 67.05 to the extent that each rental unit has the specific building element.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (1), (2) (intro.) and (h), cr. (3) and (4), Register, December, 1984, No. 348, eff. 1-1-85.

Subchapter II Definitions

ILHR 67.04 Definitions. In this chapter:

- (1) "Accessible" means capable of being reached without removal or alteration of any part or parts of the permanent structure, finish materials or paved sidewalk or driveway. Cavities under floors in unfinished attic areas are accessible.
- (2) "Box sill" means that portion of the building envelope between the top of the foundation wall and the sub-floor immediately above, or the perimeter of the floor joists.
- (3) "British thermal units" means the quantity of heat required to raise the temperature of one pound of water one degree Fahrenheit at or near 39.2° F.
- (4) "Condominium" means a multiple dwelling unit building in which there is separate ownership of individual dwelling units created by ch. 703. Stats.
- (5) "Department" means the department of industry, labor and human relations.
- (6) "Dwelling unit" means a building or that part of a building which is used as a home or residence.
- (7) "Energy conservation measure" means any measure which increases the energy efficiency of a rental unit, including, but not limited to, the installation of caulking, weatherstripping, insulation and storm windows.
- (8) "Fahrenheit" means a thermometric scale in which 32° denotes freezing and 212° denotes boiling of water under normal pressure at sea level.
- (9) "Financial institution" means any state or nationally chartered bank, savings and loan association, credit union, mutual savings bank, trust company bank or other lending authority created or licensed under state or federal law.
- (10) "Finish material" means drywall, plaster, siding or other material covering the structure, but does not include floors in unfinished spaces.
- (11) "Gross area" means the occupied or usable floor area in a building but not including space occupied by columns, walls, partitions, mechanical shafts or ducts.
 - (12) "Health care facilities" means either hospitals or nursing homes.
- (13) "Inspector" means a person certified by the department to perform inspections for energy efficiency in rental units.
 - (14) "Municipality" means a city, village or town.
- (15) "Owner" means any person having a legal or equitable interest in a rental unit, but does not mean a tenant with or without an option to purchase.
- (16) "Owner-occupied" means one dwelling unit in a rental unit building used as the primary residence by the owner for at least one year immediately after the date of transfer.
- (17) "Rental unit" means a building or that part of a building used as a home or residence which is rented.

WISCONSIN ADMINISTRATIVE CODE

ILHR 67

4

- (18) "Sidewalls" means the exterior building envelope walls excluding the box sill and including windows, doors, and other openings above the box sill.
- (19) "Thermal performance" means the gross heat loss from the exterior building envelope.
- (20) "Thermal resistance (R)" means a measure of the ability of materials to retard the flow of heat. The R-value is the reciprocal of a heat transfer coefficient or thermal transmittance, expressed by U; R=1/U.

Note: The higher the R-value of a material, the more difficult it is for heat to flow through the material.

(21) "Thermal transmittance (U)" means the coefficient of heat transmission expressed in units of Btu per hour per square foot per degree F. It is the time rate of heat flow. The U-value applies to combinations of different materials used in series along the heat flow path and also to single materials that comprise a building section, and includes cavity air spaces and surface air films on both sides.

Note: The lower the U-value of a material, the more difficult it is for heat to flow through the material.

- (22) "Transfer" means a conveyance of ownership interest, including a controlling stock interest, in a rental unit by deed, land contract or judgement; or conveyance of an interest in a lease in excess of one year which was contracted before January 1, 1985 with an option to purchase. Transfer does not mean a conveyance under chs. 851 to 879, Stats., (probate) or mean:
- (a) Transfers for nominal or no consideration which confirm, correct or reform a transfer previously made;
- (b) Transfers for delinquent taxes or assessments to federal, state or local governments provided that, before subsequent transfer, the transferee presents the stipulation described in this chapter, and that compliance shall be no later than one year after the date of the subsequent transfer;
 - (c) Transfers resulting from court-ordered partitions of property;
- (d) Transfers resulting from involuntary merger or liquidation of financial institutions;
- (e) Transfers from a subsidiary corporation to its parent for no consideration, or in sole consideration of cancellation, surrender or transfer of capital stock between parent and subsidiary corporation;
- (f) Transfers between husband and wife or parent and children for nominal or no consideration;
- (g) Transfers between agent and principal or trustee and beneficiary without actual consideration;
- (h) Transfers made solely to provide security for a debt or obligation or transfers made to or from financial institutions solely for release of security for debt or obligation;
- (i) Transfers pursuant to or in lieu of condemnation; Register, April, 1985, No. 352

- (j) Transfers pursuant to property division under ch. 767, Stats., (divorce);
- (k) Transfers of property to financial institutions pursuant to foreclosure or in lieu of foreclosure provided that, before subsequent transfer, the transferee present a stipulation as described in this chapter, and that compliance shall be no later than one year after date of the subsequent transfer;
- (1) Transfers of property to persons licensed under ch. 452, Stats., (real estate broker) solely for the purpose of facilitating sale of property, provided the sales contract stipulates that property shall meet the rules if it is not sold within a year, and provided that, before subsequent transfer, the transferee present a stipulation as described in this chapter, and that compliance shall be no later than one year after date of the subsequent transfer; and
- (m) Transfers to trustees in court-declared bankrupteies, provided that before subsequent transfer, the transferee present a stipulation as described in this chapter, and that compliance shall be no later than one year after date of the subsequent transfer.

Note: It is the intent of this definition to exempt transactions which are involuntary, for security purposes or for nominal consideration.

(23) "Vapor barrier" means a material, including vapor barrier paint, with a vapor transmission rate not greater than 1.00 perm.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (1) and (6), r. and recr. (4) and (11), r. (22), renum. (10), (12) to (21) to be (12) to (22) and am. (16), (17) and (22), cr. (10), Register, December, 1984, No. 348, eff. 1-1-85.

ILHR 67.05 Energy efficiency standards. Any building containing rental units, except those specified in s. ILHR 67.03 (2), transferring ownership after January 1, 1985, shall meet the minimum prescriptive energy conservation measures specified in this section, unless an exemption has been issued under s. ILHR 67.06 or unless a waiver or stipulation has been issued as specified in s. ILHR 67.08 (2) and (3).

(1) INSULATION. Insulation shall be provided in all accessible areas as specified in Table 67.05.

TABLE 67.05

,						
	AMOUNT O	F INSULATION	REQUIRED			
BUILDING ELEMENT	If R-0 to R-10 is present initially	If R-11 to R-18 is present initially	If R-19 or more is present			
Ceiling (f) (i)	R-38	Add R-19	None			
BUILDING ELEMENT	If R-0 to R-2.5 is present initially	If R-3 to R-10 is present initially	If R-11 or more is present initially			
Box Sills (c) Side Walls (c) (f) (i)	R-19 R-11	Add R-11 None	None None			
Floors over unheated basements or unheated crawl spaces (a) (c) (e) (g) (h)	R-19	Add R-11	None			
BUILDING ELEMENT		AMOUNT OF INSULATION REQUIRED				
Heating Supply I heated Spaces : Basements (a)	and Unheated	R	-5			
Steam Heating Pi Hydronic Heating	pes (D)	R-4 R-2				
Domestic Hot Wa		ı.	-2			
Circulating	icei i ipes	R-2				
Non-Circulating	Within 5 Feet of					
Water Heater		R-2				
Access Panels or Doors to Attics or Unheated Areas						
Horizontal			-19			
Vertical	a)	R	-9			
Foundations (d) (e) Exterior (above grade and to 18" below grade) or Interior (full height)		R R	-			

⁽a) Basements and crawl spaces are considered to be unheated unless foundation walls are insulated.

⁽b) Steam and hydronic heating pipe located in "dwelling units" need not be covered with insulation.

⁽c) Exterior walls of garages are not required to be insulated. Walls or floors separating the garage from the dwelling unit shall be insulated, if accessible.

⁽d) Slab-on-grade foundations shall have exterior insulation. Floating slabs need only be insulated for the thickness of the slabs.

⁽e) Insulation of the foundation walls or insulation of the floor above the basement or crawl space is required but not both.

⁽f) Wall and ceiling cavities open to the attic area shall be insulated.

⁽g) If the basement ceiling is insulated, precautions may need to be taken to prevent the freezing of water service pipe.

- (h) If floors over unheated crawl spaces are insulated, a vapor barrier shall be installed over the floor of the crawl space.
- (i) If knob and tube wiring is present, insulation shall be installed in such a way as not to cause a hazard. If there is live knob and tube wiring under an attic floor or within walls, insulation may not be blown under the floor or into the wall cavities because the good condition of the wiring cannot be assured.
- (2) Windows, All windows shall be double glazed or shall be provided with exterior or interior storm windows except that hopper, awning and metal casement, type windows and windows of store fronts are exempt from the requirements of this subsection. Where exterior storms are installed over openable windows required for natural ventilation, a portion of the storm shall be openable from the inside. Windows located at boiler or furnace rooms do not need to be double glazed or equipped with storms.
- (3) WEATHERSTRIPPING. Windows designed to be opened, doors exposed to the exterior, and doors and access panels to unheated spaces shall be provided with weatherstripping. The crack where the weatherstripping is installed may not exceed 0.10 inches. Windows located in boiler or furnace rooms need not be weatherstripped.
- (4) Caulking. All accessible exterior joints within the first 3 stories between the foundation and box sill; around the windows and door frames; at penetrations from utility services and pipes, dryer vents and all other openings or cracks in the exterior building envelope shall be caulked, gasketed or otherwise sealed. This requirement does not apply to openings for combustion air and joints in the siding.
- (5) Doors. Patio doors shall be insulated, double glazed or equipped with a storm door. Where no vestibule exists, inward swinging exterior doors shall be insulated, double glazed or equipped with a storm door. Door lites need not be glazed. All storm doors shall be equipped with a self-closing device.
- (6) MOISTURE CONTROL. (a) Ceilings. Minimum ventilation shall be provided above the ceiling or attic insulation. The free area of ventilation shall be at least 1/300 of the horizontal area. Where overhangs with soffits are provided, one-half of the free area shall be near the eaves and one-half in the upper one-third of the roof or gable. Where it is impractical to install gravity venting, power vent systems may be used to provide equivalent ventilation. Power vents shall be connected to a humidistat.
- (b) Crawl spaces. Minimum ventilation shall be provided in unheated crawl spaces. The area of ventilation shall be at least 1/300 of the floor space. The area of ventilation shall be distributed equally to at least 2 openings in the foundation wall. The openings shall be located to provide cross ventilation. Where accessible, a vapor barrier shall be applied to cover the exposed earth.
- (7) EQUIPMENT. All heating equipment and water heaters shall have been inspected within the past 6 months of energy efficiency inspection by a contractor, service technician, or energy supplier to ensure that the equipment is properly adjusted and maintained. Water heaters located in unheated spaces shall be provided with insulated jackets with a minimum insulating value of R-5. Water heaters stamped as meeting ASHRAE 90-75, 90-77 or 90A-80 may be located in unheated spaces without insulating blankets. Combustion air openings shall be unobstructed. All showers shall be equipped with flow restricters rated at 3

gallons per minute or less. Through-wall air conditioners shall be fully covered, and effectively sealed from the inside or outside or both during the heating season.

Note 1: ASHRAE is an acronym for the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc. Copies of ASHRAE standards for domestic water heating systems may be purchased from the ASHRAE Publications Sales Department, 1791 Tullie Circle, N.E. Atlanta, Georgia 30329.

Note 2: The department will accept as evidence a service report signed and dated by the contractor, service technician or energy supplier that the heating equipment and water heater is properly adjusted and maintained.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (intro.), (2) to (5) and (7), r. and recr. table, Register, December, 1984, No. 348, eff. 1-1-85; emerg. am. table, (6) (b) and (7), eff. 1-1-85.

ILHR 67.06 Cost payback exemptions. No specific energy conservation measure may be required under s. ILHR 67.05 (1) to (5) and (7) where the cost payback obtained from installing the specific energy measure exceeds 5 years. In order to receive an exemption for a specific energy measure, the owner shall submit evidence to the department to demonstrate that the cost payback for the specific energy measure exceeds 5 years. Envelope cost payback calculations shall be made in accordance with this section unless otherwise approved by the department. All calculations and analyses shall be based on the actual conditions to which the specific energy measure is subject. Other nonenvelope cost payback calculations utilizing principles and concepts outlined in this section may be approved by the department. The final acceptance of any cost payback shall be made by the department.

(1) APPLICATION FOR COST PAYBACK EXEMPTIONS. Any request for an exemption of a specific energy conservation measure based on cost payback shall be made in writing on application forms provided by the department.


Note: See Appendix for an example of the application form (SBD-7303).

- (2) Processing applications for exemptions. (a) Information required. Any application for an exemption shall be submitted to the department for processing along with the 5-year payback calculations, drawings and pictures describing the specific energy conservation measure to be exempted, fuel bills or utility documentation of fuel cost, the cost estimate for the installed specific energy conservation measure, and processing fees. The application form shall be signed and dated by the owner requesting the exemption.
- (b) Department processing. The department shall evaluate and process the application in accordance with this section and shall process the applications for exemption in the order of the date the applications are received by the department. All forms shall be completed and all information requested shall be received by the department before processing of the exemption will occur. Analyses submitted on department worksheets or pre-approved analyses shall receive priority over alternative analysis methods.
- (3) Exemption for foundation insulation. Any request for an exemption from foundation insulation shall include an analysis of the cost payback for each of the following conditions:

- (a) Installing insulation of the basement or crawl space ceiling, if accessible;
- $\ensuremath{(b)}$ Installing insulation at the exterior of the foundation, if accessible; and
 - (c) Installing insulation at the interior of the foundation, if accessible.
- (4) PROCEDURES FOR CALCULATING PAYBACK. The calculation of the envelope energy savings and the determination of the economic feasibility for each minimum energy efficiency standard shall be computed as follows:

FIGURE 67.06 DEGREE DAYS PER YEAR

Wisconsin Division of State Energy Degree Day Zones



Zone 1 - 9, 169	Zone 6 - 8,098
Zone 2 - 9, 114	Zone 7 - 8,388
Zone 3 - 8, 460	Zone 8 - 8,201
Zone 4 - 8, 721	Zone 9 - 7,171
Zone 5 - 8, 487	Zone 10 - 7,730
	Zone 11 - 7 444

(a) $Energy\ savings\ calculations$. The following energy savings equation shall be used to calculate the heat loss of the specfic energy measure:

$$ES = (\underbrace{Ui - Uf}_{K \times V} \times A \times D \times 24)$$

where:

- ES = The fuel or energy savings in the appropriate energy units for the estimated period; e.g., hundreds of cubic feet of natural gas, gallons of fuel oil, or kilowatt-hours of electricity.
- Ui = U value of the existing building element, including any insulation that is already contained in the building element being evaluated, expressed in Btu/hr ft²-F°.
- Uf = U value of the existing building element, including the level of insulation required in Table 67.05 for the specific building element being evaluated, expressed in Btu/hr ft²-F°.
- A = The gross area of the building element being evaluated, in square feet.
- V = The heating value of the fuel type:

Oil 138,500 Btu/Gal
Gas 100,000 Btu/CCF
Electricity 3413 Btu/Kilowatt-Hr
LP (Propane & Butane) 91,500 Btu/Gal
Coal 10,000 Btu/lb
Wood 4,000 Btu/lb or 25,000,000 Btu/
cord

K = A correction factor which includes the effects of rated full load efficiency, part load performance, oversizing and energy conservation devices. The following factors shall be used unless higher efficiencies for newer equipment can be substantiated:

LP :	.55
Gas	.55
Oil	.55
Electricity	1.00
Wood	0.50
Coal	0.50

- D = Number of 65° F degree days for the estimated period based on geographical zones in Figure 67.06.
- (b) Energy price. The current retail price per unit of energy (P) shall be determined for the annual energy savings at the time the calculations are submitted.
- (c) Cost of improvement. The actual total cost (C) of the energy savings improvement shall be determined and an itemized breakdown of the total cost for labor and materials shall be submitted to the department. Additional information may be requested from the applicant if the cost is outside the range of expected, current regional costs.
- (d) Cost payback. The cost payback period shall be calculated using the following formula:

$$P.B. = \frac{C}{P \times ES}$$

JLHR 67

where:

P.B. = Payback in number of years C = Total cost of energy measure

ES = Total energy savings

P = Current retail price of energy unit

- (5) PAYBACK LESS THAN 5 YEARS. If the payback period (P.B.) is less than or equal to 5 years, the specific energy measure shall be installed.
- (6) PAYBACK EXCEEDS 5 YEARS. If the payback period (P.B.) is more than 5 years; the department shall issue an exemption.
- (7) DEPARTMENT DETERMINATION AND NOTIFICATION. After the department reviews the calculations and information submitted by the owner, the department shall notify the owner of its findings in writing. The department shall review and make a determination on payback calculations within 15 business days of receipt of all calculations and documents necessary to complete the review.
- (8) Owner's responsibility. Upon receipt of the department's determination, the owner shall install the specific energy measure or provide a copy of the exemption letter to the certified inspector.
- (9) EXEMPTION EXPIRATION. The exemption shall be valid for a period of 5 years from the date specified on the exemption.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; r. and recr. Register, December, 1984, No. 348, eff. 1-1-85; emerg. r. (3), eff. 1-1-85; am. (7), Register, April, 1985, No. 352, eff. 5-1-85.

Subchapter IV Inspection and Certification of Rental Units

ILHR 67.07 Request for energy efficiency inspection. An owner of a rental unit may request an energy efficiency inspection from the department or any inspector certified by the department under ch. ILHR 68 for the purpose of determining whether the rental unit meets the energy efficiency standards specified in this chapter. If an owner, after reasonable effort, is unable to procure an inspection from an authorized municipality or an independent certified rental unit energy inspector, a request for an inspection may be made to the department.

(1) APPLICATION FOR INSPECTION FROM THE DEPARTMENT OR MUNICIPALITY. Where an owner requests the inspection from the department or municipality, the owner shall apply for the inspection on forms obtained from the department or municipality.

Note: A copy of the application for inspection form (SBD-7267) is contained in the appendix.

- (2) FILING OF APPLICATION. No application for inspections will be accepted by the department or municipality that does not contain all of the information requested on the application form. The application shall be filed with the department or municipality enforcing this chapter.
- (3) FEES. (a) Municipal fees. Any fee required by the municipality for administering and enforcing this chapter shall be deposited with the municipality at the time the application is filed.

- (b) Department fees. Where the department administers and enforces this chapter, the fees required for inspection and certification shall be submitted at the time the application is filed with the department.
- (c) Certified inspection fees. Where inspections are performed by a certified inspector, other than the department or municipality, the certified inspector may charge a fee to cover the cost of the inspection and issuance of the certificate as specified in ch. Ind 69, Fee Schedule.
- (4) INSPECTIONS. All energy efficiency inspections for the purpose of certifying rental units under this chapter shall be performed by the department, municipality or inspector certified by the department.
- (5) ACTION TO INSPECT. The municipality or department performing inspection services under this chapter shall perform inspections within 10 business days after an application is filed.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (5), Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 67.08 Issuance of certificate, waiver or stipulation. (1) CERTIFICATE OF COMPLIANCE. If upon inspection, the inspector determines that the building conforms to energy conservation measures specified in this chapter, the inspector shall authorize the certificate of compliance by signing and affixing the DILHR Transfer Authorization label and then issue the certificate prescribed by the department and file a copy of the certificate with the department. The department shall issue the certificate within 10 business days of determination that the building conforms to energy conservation measures.

Note: A copy of the certificate form (SBD-7114) is contained in the Appendix.

- (a) Certificate forms and transfer authorization stamps. Any certified inspector may obtain certificate forms and transfer authorization stamps from the department.
- (b) Requests for certificate form. All requests for certificate forms shall be made in writing. The fee for the certificate forms shall accompany the request. The department shall respond to all requests for certificate forms within 10 business days of receipt of an application for forms and the required fee.

Note: Copies of the certificate forms are available at no charge from:

Department of Industry, Labor and Human Relations Division of Safety and Buildings Post Office Box 7969 Madison, Wisconsin 53707

- (c) Notice of noncompliance. If upon inspection, an inspector determines that the rental unit does not conform to the energy measures specified in this chapter, the inspector shall specify in writing the energy conservation measures necessary to make the rental unit comply with the energy efficiency standards specified in this chapter and notify the owner of the findings. The department shall specify the energy conservation measures necessary to make the rental unit comply with the energy efficiency standards within 10 business days of completion of the inspection.
- 1. Stipulation may be issued where the energy efficiency standards are not met as specified in sub. (3).

WISCONSIN ADMINISTRATIVE CODE

ILHR 67

- 2. A certification may be issued after a reinspection if all the required energy measures have been installed. Any request for reinspection performed by the department shall be accompanied with a fee for reinspection.
- (2) WAIVER OF CERTIFICATE. If a rental unit is scheduled for demolition within 2 years, the department or municipality may issue a written waiver to the energy efficiency standards specified in this chapter. A copy of the waiver shall be filed with the department and municipality. No waiver may be requested for a rental unit which has been issued a previous waiver or stipulation unless the rental unit had received a certificate of compliance from a certified inspector on some date after the date of issuance of the latest waiver or stipulation under sub. (3).
- (a) Filing of waiver. The waiver shall be on department forms and signed by the purchaser and filed with the department and municipality for authorization. The department or municipality shall place transfer authorization stamps on the waiver. Municipalities shall obtain transfer authorization stamps from the department. Where a waiver is issued by the municipality, a copy shall be filed with the department.

Note: A copy of the waiver of certificate form (SBD-7116) is contained in the Appendix.

- (b) Conditions of waiver. The waiver shall be conditioned on the demolition of the rental unit within the 2 years of the date of the waiver.
- (c) Notification of demolition. The owner shall notify the department in writing the date that the building was demolished.
- (d) Failure to demolish. If demolition does not occur within 2 years of issuance of the waiver, the department or the municipality may do one or more of the following:
- 1, Order demolition of the rental unit no sooner than 90 days after the order:
 - 2. Withdraw any certificate of occupancy; or
- 3. Order the owner to bring the rental unit in compliance with the energy measures specified in this chapter.
- (d) Department orders, 1. Order for demolition. Where the department orders the building to be demolished, the owner shall notify the department in writing the date the building was demolished.
- 2. Order for compliance. Where the department orders the building to comply with the energy measures in this chapter, the owner shall notify the department that the energy measures have been installed and apply for an inspection of the rental unit as specified in s. ILHR 67.07.
- (3) STIPULATION. (a) Stipulation requirements, If the rental unit does not meet the provisions of this chapter, the transferor of a rental unit may present a stipulation signed by the transferee and by the department or municipality in which the rental unit is located stating the new owner of the rental unit shall bring the rental unit into compliance with the energy measures specified in this chapter and receive a certificate of compliance from a certified inspector, no later than one year after the date of the transfer. No stipulation may be requested for a rental unit which has been issued a previous stipulation or waiver unless the rental unit had received a certificate of compliance from a certified inspector on Register, April, 1985, No. 352

some date after the date of issuance of the latest stipulation or waiver under sub. (2).

(b) Filing stipulation. The stipulation shall be on department forms and be filed with the department. Where a stipulation is made by the municipality, a copy shall be filed with the department. Only the department or municipality may place transfer authorization stamps on the stipulation. Municipalities shall obtain transfer authorization stamps from the department.

Note: A copy of the stipulation form (SBD-7115) is contained in the Appendix.

- (c) Stipulation inspection. Once the new owner has installed the necessary energy conservation measures, the owner shall apply for inspection from a certified inspector, authorizing municipality or the department.
- 1. If upon inspections, it is determined that the rental unit conforms to the conditions specified in the stipulation, the inspector shall issue a certificate indicating the rental unit conforms to the energy measures specified in this chapter. The department shall issue the certificate within 10 business days after determination that the rental unit conforms to the conditions specified in the stipulation.
- 2. If upon inspection, it is determined that the rental unit does not conform to the conditions specified in the stipulation, the inspector shall notify the owner in writing, specifying the measures necessary for compliance. A certification may be issued after reinspection if all the required energy measures have been installed.
- 3. The department shall conduct a clerical follow-up no later than 180 days after the stipulated compliance date to determine if a certificate has been issued for the rental unit. If no certificate is on file, the department shall order the owner with a specified time to comply with the energy measures and take the necessary action to secure compliance.
- (d) Filing of certification, waiver and stipulation. A copy of the certificate, waiver or stipulation shall be filed with the department.
- History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (1) (intro.) and (a), (2) (intro.), renum. (2) (a) to (d) to be (2) (b) to (e), cr. (2) (a) and (3) (c), r. (3) (b), renum. (3) (intro.) and (a) to be (3) (a) and (b) and am., Register, December, 1984, No. 348, eff. 1-1-85; am. (1) (intro.), (b) and (c) (intro.) and (3) (c) 1., Register, April, 1985, No. 352, eff. 5-1-85.
- ILHR 67.09 Proof of certification. The certificate shall be proof that the rental unit complies with the energy measures specified in this chapter. The certificate shall be valid for a period of 5 years from the date specified on the certificate. The certified inspector shall retain a copy of the inspection report and certification for at least 5 years. The certificate shall include the results of the inspection of the rental unit.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 67.10 Recordation. Pursuant to s. 101.122 (6), Stats., a register of deeds may not accept for recording, any deed or other document of transfer of real estate which includes a rental unit unless the deed or document is accompanied by the certificate, a waiver, or a stipulation. The register of deeds shall record the certificate, waiver or stipulation.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. December, 1984, No. 348, eff. 1-1-85.

ILHR 67.11 Revocation of certificate. The department or municipality may revoke any certificate where it appears the certificate was obtained through fraud or deceit or where the owner has willfully refused to comply with a stipulation issued under this chapter.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

Subchapter V Appeals and Penaltics

ILHR 67.12 Appeals. (1) APPEAL OF A DETERMINATION BY A CERTIFIED RENTAL UNIT ENERGY INSPECTOR. Appeal of any determination made by a certified rental unit energy inspector or municipality shall be made in writing to the department. All appeals shall be filed with the department within 30 business days after the date of the determination. The department shall render a written decision on all appeals within 60 business days of receipt of all calculations and documents necessary to complete the review.

(2) APPEAL OF RULES, ORDERS AND DETERMINATION BY THE DEPARTMENT. Appeals of any rule, determination, or special order issued by the department, shall be made to the department pursuant to the procedures specified under s. 101.02 (6) (e) to (i) and (8), Stats. The department shall review and make a determination on an appeal of a rule, order or determination by the department within 60 business days of receipt of all calculations and documents necessary to complete the review.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. Register, April, 1985, No. 352, eff. 5-1-85.

** ILHR 67.13 Penalties. Penalties in this section are established pursuant to s. 101.122 (7), Stats.

- (1) INSPECTORS. Any inspector falsifying a certificate shall have his or her certification revoked by the department and may be required to forfeit not more than \$500 per dwelling unit in the rental unit for which the certificate is issued.
- (2) OWNERS. Pursuant to s. 101.122 (7) (b), Stats., any person who offers documents evidencing transfer of ownership for recordation and who, with intent to evade the requirements of these rules, falsely states under s. 706.05 (12), Stats., that the real property involved does not include a rental unit, may be required to forfeit not more than \$500 per dwelling unit in the rental unit being transferred.
- (3) WAIVER. Pursuant to s. 101.122 (7) (c), Stats., any person who fails to comply with the requirements of a waiver issued under this chapter may be required to forfeit not more than \$500 per dwelling unit in the rental unit for which the waiver is issued.
- (4) STIPULATION. Pursuant to s. 101.122 (7) (d), Stats., any person who fails to comply with a stipulation issued in accordance with this chapter may be required to forfeit not more than \$500 per dwelling unit for the rental unit for which the stipulation was issued.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

Chapter ILHR 68 CERTIFICATION STANDARDS FOR RENTAL UNIT ENERGY INSPECTIONS

ILHR 6	Subchapter I General 38.01 Scope 38.02 Application 38.03 Administration and enforce-	ILHR	Suspe 68.12	Subchapter III ension and Revocation Suspension or revocation of certification Subchapter IV
ILHR 6	ment 18.04 Authority 18.05 Definitions Subchapter H	ILHR	68.14	Proceedings Filing of complaint Investigation and notifica- tion
		ILHR	68.16	Mailing Response Conciliation agreement prior to hearing Hearings
ILHR 6 ILHR 6 ILHR 6 ILHR 6	58.08 Examination 18.09 Issuance of certificate 18.10 Renewal of certificate 18.11 Denial of certification	ILHR ILHR ILHR	68.19 68.20 68.21	Findings Appeal arguments Petition for rules or declara- tory rulings
#1413 33 % 1438	rice di la constituente di di rige di constituente di alcada la cipia. Subchapte	r I Gen	ieral	e Penalties engag 1 to an around a production of the control of t

ILHR 68.01 Scope. The purpose of this chapter is to establish standards for certification, including provisions for suspension and revocation, of inspectors for the purpose of inspecting rental units subject to the rental unit energy efficiency standards in ch. ILHR 67.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.02 Application. The rules contained in this chapter shall apply to all persons engaged in the administration and enforcement of the rental unit energy efficiency chapter promulgated by the department or engaged in the education, training and testing of persons for certification as a rental unit energy inspector.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.03 Administration and enforcement. All energy inspections of rental units for the purpose of administering and enforcing the rental unit energy efficiency chapter adopted by the department shall be performed by a rental unit energy inspector certified by the department under the provisions of this chapter.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.04 Authority. (1) DEPARTMENTAL AUTHORITY. Pursuant to s. 101.122, Stats., the department has been granted the authority and jurisdiction over the certification, including suspension and revocation, of rental unit energy efficiency inspectors certified for the purpose of inspecting rental units for energy efficiency standards adopted by the department.

(2) MUNICIPAL AUTHORITY. Pursuant to s. 101.122 (6r), Stats., any municipality which exercises jurisdiction over the inspection of rental units falling within the scope of the rental unit energy efficiency chapter or any part thereof, promulgated by the department, shall provide for inspections by persons certified under the rules of this chapter.

- (a) Any termination of employment of or disciplinary action against a municipal certified rental unit energy efficiency inspector for cause directly related to the conditions of certification under this chapter shall be reported to the department.
- (b) Termination of employment or disciplinary action of any certified rental unit energy efficiency inspector by a municipality shall not constitute suspension or revocation of the department certification issued under this chapter.
- (c) No certified rental unit energy efficiency inspector carrying a valid department certification may be required to obtain any municipal certification or license to provide energy inspections of rental units under the rental unit energy efficiency chapter promulgated by the department.
- (3) CERTIFIED RENTAL UNIT ENERGY INSPECTOR. Pursuant to s. 101.122, Stats., a certified rental unit energy efficiency inspector may:
- (a) Inspect rental units subject to the energy efficiency standards adopted by the department;
- (b) Issue certificates that the rental unit complies with the rental unit energy efficiency standards adopted by the department, except that the inspector may not issue a certificate for a rental unit in which the inspector or the inspector's employer, other than the state or municipality, has a monetary or personal interest;
- (c) Specify in writing the energy conservation measures necessary to make the rental unit comply with the department energy efficiency standards;
- (d) Enter into contractural agreements with the department, municipality, or owner requesting such inspection service; and
 - (e) Recommend waivers and stipulations.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.05 Definitions. (1) "Approved" means acceptable to the department.

- (2) "Certification" means an inspection performed by a certified rental unit energy efficiency inspector to determine if the rental unit complies with the standards specified in the rental unit energy efficiency chapter promulgated by the department and the issuance of a certificate verifying the rental unit complies with the energy efficiency standards specified in ch. ILHR 67.
- (3) "Certified rental unit energy efficiency inspector" means a natural person certified by the department to perform energy efficiency inspections under the rental unit energy efficiency chapter promulgated by the department.
- (4) "Conflict of interest" means a certified rental unit energy efficiency inspector inspecting a rental unit in which the inspector or the inspector's employer, other than the state or municipality, has a monetary or personal interest.
- (5) "Department" means the department of industry, labor and human relations.

Register, February, 1985, No. 352

- (6) "Incompetence" means conduct which evidences a lack of ability to discharge the duty required under this chapter and the rental unit energy efficiency chapter promulgated by the department or an inability to apply those principles, or failure to maintain competency in the current practices and methods applicable to energy efficiency inspection of rental units under the rental unit energy efficiency chapter.
- (7) "Misconduct" means an act performed in the discharge of duties which jeopardizes the interests of the public, including violation of the state law related to energy efficiency inspection of rental units, of administrative rules relating to energy efficiency inspection of rental units, preparation of deficient or falsified reports related to certification or inspection of rental units, failure to submit information or reports required by law or contract when requested by the municipality or the department, conduct which evidences a lack of trustworthiness, misrepresention of qualifications such as education, experience or certification, illegal entry of premises, misuse of funds, or misrepresentation of authority related to the energy efficiency inspection of rental units.
 - (8) "Municipality" means any city, village or town in this state.
- (9) "Negligence" means failure by omission or commission to discharge the duty required to perform energy efficiency inspections of rental units under the rental unit energy efficiency chapter promulgated by the department.
- (10) "Secretary" means the secretary of the department of industry, labor and human relations.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

Subchapter II Inspector Certification

ILHR 68.06 Application for certification or recertification. Any person performing energy efficiency inspections of rental units may be certified by the department. Persons certified may be employes of the department or a municipality, or a private individual. All applicants shall be at least 18 years of age.

(1) Application for certification and recertification shall be made to the department together with the payment of the fees as specified in ch. Ind 69, Wis. Adm. Code. Applications shall be made on forms provided by the department and may be obtained by writing to:

Safety and Buildings Division Department of Industry, Labor and Human Relations P.O. Box 7969 Madison, Wisconsin 53707

(2) Upon receipt of the completed application form, the department shall review and evaluate the application and make all necessary notifications to the applicant. If it is determined that the applicant does not qualify for certification or recertification, the applicant shall be notified of such findings in writing and instructed of the appeals procedure provided under subch. IV of this chapter. The department shall review and make a determination on an application for inspector certification within

15 business days of receipt of the application and all documents required to complete the review.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (2), Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 68.07 Requirements for certification. Eligibility for certification shall be based upon receipt and approval of the application and on the successful completion of an approved examination.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

- ILHR 68.08 Examination. (1) APPLICATION FOR EXAMINATION. All applications for examination shall be filed with the department prior to examination. The applicant shall be advised by the department of the date and place of the examination. The department shall notify all applicants for examination of the time and place of the next examination within 15 days of receipt of the application.
- (2) TIME AND PLACE OF EXAMINATION. Scheduled examinations shall be offered at least annually. Specific details regarding time and place are available from the department upon request. The department shall schedule examinations within 18 months of the date of the last examination.
- (3) SCOPE OF EXAMINATION. The examination shall test the applicant's ability to inspect rental units as follows:
 - (a) Knowledge of rental unit energy efficiency standards;
 - (b) Energy efficiency inspection procedures:
 - (c) Thermal performance calculations;
 - (d) Cost payback calcualtions; and
 - (e) Issuance of certification.
- (4) Grading of examinations. The final grading of all examinations shall be by persons approved by the department. A grade of 70% or greater shall be considered a passing grade for certification as an inspector.
- (5) EXAMINATION RETAKE. All applications for re-examination shall be filed with the department prior to the scheduled date of the examination to be retaken.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. (1) and (2), Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 68.09 Issuance of certificate. Upon successful completion of the requirements for certification, the department shall notify the applicant in writing and shall issue an inspection certificate. The department shall issue the inspection certificate within 30 business days of successful completion by the applicant of the requirements for certification. The certificate shall bear the name of the applicant, certification number and expiration date. The certificate shall be valid for a period of one year.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 68.10 Renewal of certificate. Upon receipt of written notice of expiration, certification may be renewed. Certification renewal shall be Register, February, 1985, No. 352

contingent on sucessful completion of on-going approved education programs or receiving a passing grade on the examination. The department shall review and make a determination on an application for renewal of certification within 30 business days of receipt of an application for re-

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 68.11 Denial of certification. Upon denial of certification or recertification, the department shall notify the applicant in writing stating the reasons for denial. The notice of denial shall be made by certified mail sent to the address filed with the application. Service shall be verified by the certified mail receipt. The department shall notify the applicant as to the reasons for denial of certification within 30 business days of receipt of an application for renewal.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. Register, April, 1985, No. 352, eff. 5-1-85.

Subchapter III Suspension and Revocation

ILHR 68.12 Suspension or revocation of certification. The department may suspend or revoke the certification of any inspector for any of the following reasons:

- (1) Fraud or deceit in certifying rental units;
- (2) Knowingly aiding or abetting the unauthorized inspection of rental units by persons not certified by the department;
- (3) Any negligence, incompetence or misconduct in the discharge of the duties required under this chapter and the rental unit energy efficiency chapter;
- (4) Conviction of a criminal charge, misdemeanor or local regulation substantially related to the circumstances of the certified inspection activity of rental units or adjudication of mental incompetence by the

fictions of freeze o

(5) Conflict of interest.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

Subchapter IV Proceedings

ILHR 68.13 Filing of complaint. Proceedings to revoke or suspend a certificate may be initiated by any person on a signed, written complaint filed with the department. Any alleged violation of the law or the administrative rules of the department shall be set forth in the complaint with particular reference to time, place and circumstance.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.14 Investigation and notification. The department may investigate alleged violations on its own initiative or upon the filing of a complaint. If it is determined that no further action is warranted, the department shall notify the persons affected. If the department determines that there is probably cause, it shall order a hearing and notify the persons

affected. The department shall conduct an investigation and notify the persons affected of the results within 3 months of receipt of a complaint.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83; am. Register, April, 1985, No. 352, eff. 5-1-85.

ILHR 68.15 Mailing. Unless otherwise provided by law, all orders, notices and other papers may be served by the department by certified mail addressed to the party at the last known address. If the service is refused, service may be made by sheriff without amendment of the original order, notice or other paper.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.16 Response. Upon receipt of notification of hearing from the department, the charged party may submit to the department a written response within 30 days of the date of service. Failure to respond within the prescribed time limit, or failure to appear at the scheduled hearing, may result in the allegations specified in the complaint being taken as true.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

- ILHR 68.17 Conciliation agreement prior to hearing. If the department and the respondent are able to reach agreement on disposition of a complaint prior to hearing, such agreement shall:
 - (1) Be transmitted in writing to the secretary;
- (2) Not be binding upon any party until accepted by the secretary; and
- (3) Not be considered a waiver of any defense nor an admission of any fact until accepted by the secretary.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

- ILHR 68.18 Hearings. (1) Subpoenas; witness fees. Subpoenas may be signed and issued by the department or the clerk of any court of record. Witness fees and mileage of witnesses subpoenaed on behalf of the department may be paid at the rate prescribed for witnesses in circuit court.
- (2) CONDUCT OF HEARINGS. All hearings shall be conducted by persons selected by the department. Persons so designated may administer oaths or affirmations and may grant continuances and adjournments for cause shown. The respondent shall appear in person and may be represented by an attorney-at-law. Witnesses may be examined by persons designated by the department.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.19 Findings. The department may make findings and enter its order on the basis of the facts revealed by its investigation. Any findings as a result of petition or hearing shall be in writing and shall be binding unless appealed to the secretary.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.20 Appeal arguments. Appeal arguments shall be submitted to the department in writing unless otherwise ordered.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83. Register, February, 1985, No. 352 ILHR 68.21 Petition for rules or declaratory rulings. Petitions for the adoption, repeal or amendment of rules and for declaratory rulings shall be in accordance with ch. 227, Stats.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

ILHR 68.22 Penalties. Pursuant to s. 101.122 (7), Stats., any inspector falsifying a certificate shall have his or her certification revoked and may be required to forfeit not more than \$500 per dwelling unit in the rental unit for which the certificate is issued.

History: Cr. Register, February, 1983, No. 326, eff. 3-1-83.

.

•

APPENDIX

The material contained in this Appendix is for informational purposes only and is numbered to correspond with the number of the rule as it appears in the code.

A67.06 (1) - Application for cost payback exemptions. Form SBD-7303.

A67.07 (1) - Application for inspection. Form SBD-7267.

A67.08 (1) - Certificate of compliance, Form SBD-7114.

A67.08 (2) - Waiver of certificate. Form SBD-7116.

A67.08 (3) - Stipulation. Form SBD-7115.

WISCONSIN ADMINISTRATIVE CODE

ILHR 67

{	ELINZ GEE	HR (it)	AMICA	enci essicitect or encites creati encites creat		Sefety 6 Balldinga Civ. 8.0. lox 2069 Pedison 33797 668-166-1159
HENES	OF ALL CWEEKS				37537	TISE OFFIT THE CAPER
CVIES SER	5 A50253		ADDRESS OF MEN	lat com	Ph. Fi	Tile, 1 1264522
C124	STATE	211	टाउंग -	STATE	Citt	\$1416 41P
	5 1414: 20 x2 x3.		00/811		701)) ca agort
ca kie mesear Applia Varksh	n, will orrect the /her building will h. utions for exempt	i installed co take sore th one wast be e plication est telculation;	int of the mase; ua 5 years to ; uds on this for	ere. If en owen my book, bites:	r dan dorretat t with foote an ex mouther way by a	or given to the relies has been send within 5 years due to the that a specific opporation mesons semplica of the roles for that second of the roles for the second of the form. The second of the form of the second of cast publish shall deceptance of cast publish shall
D.	3. Dra 4. Doc 5. Eca 6. \$10 7. Set Department will 6	hapleted Appl R. Paybeck Co wings and Pic tomantation of t Estimate of Application d to D1LER, I steaming alia	ication (pages leminions (Vor turns depicting funic Forl Cost the Gozzepysti Tea. encel Colt Inco ibility for so	1 and 4) rhebest on pages a the conditions t (Pret billing on Messure (signs) spy Efficiency 5 desertion (so so	2 & 3 op otter less than 6 mout and by contracto staptions, P. O. cordance with H	documented method) the olf) tri) tri) tri) tri) tri) tri) tri) tri
A)	This exception is	ettor pasfora being applia	ing the couplin d for: (2)eans	check cale cas	of the following	g) 8-11- (char
9)	the primary boats	ne foet is:		(1)	(4)	— (5) ⁴ , — (15) ⁵
¢)						e present (a the concerned element) Celluloss, Other (4) (5)
	Dicksets of Inco	ietica (io ie	char) existing	in the element : he existing ins	to be exempt	
3)	Description (desc	icgs and phot	o mret elso be	iodlodes):		
814	to exemption grant to the other scot \$35-733 (8,08/	laible <u>ostica</u>	endation option	(Possfetice la	terier or famés	page 1

levizg garti Nobact coes	los of the application la used to calculate govings for ensuling many conservation mayorer required by Capter ILM b7. extincting natheds application of. 67. Opening of the outbol are given as the bottom of page 4.
fer to Fig.	2. Exten the Long market for the preset well to be factor the Degree Days
Age the cod to a (Page	ffiction found to public to principle of tool. deel f (fig. v. lea), Gentlicient - 1)
leiply 1646 Ita - (Pas)	1, the bunder of 10, class the coefficient, the 2. s br s P / Stal. (1b) x (2) - 3)
	4) 9 2) Criminal ch. (Vol. 8 time) (condition only fine section) Vin Meta- convex in to.
	The calling of your exact unit may be comprised of several different types of conservation. It may been one or more of the following types of constructions first root, origin such, or root with artic space. Incusive the figuration of Aperica first within 2 to place id., Only full out the trountercipies types girld an applicable to poor
	mated cold," 1226-/ATRIC FLEETS EXP FLEE EXP
CELLINGS	(c) Men to finite and enter the Area (c) (c) (c) (d) (d) (e) (d) (d) (e) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e
6	(a) Seltiply like at by time at (b) (b) (c) (c) (Arm) when here Art
59	Telmes of AD are given in Telle I for milie, ben eiffe and florer. Select the appropriate AD water and enter .
8	44) lauriating aption buing observy check copy
STLIS, LS & PIDORS	45) Enter the value for AV 48) A.V
4.	4c) dater the tree to be retrefitted 4c) Ans g
BOX	50 Meltiply Han (17) by Line 4e)
	Led becomes or Crew! Space insulating optics being considered by owner (elects use); - Powdeting Latering [1] Freedeting Latering[1]
	(4) height of Francistics Vall Mary Crossed Level 40 [2. (count off to massest fort)
22	te) terite belght at fomfation 1611 4c)
Ř	66) Fariactor Cough known belowit 60)
POUNDAT IONS	ta) Gross Ares of Spondation: 4c) x 66)- 4 *
2	ne describe du "Gauge de V", mise de 1018 3 "Squee II n.", ALSOMITA a CARLANCER", delact fable M. for bissencie en first M. for certalignose. Pere à l'hie solic per l'a re not l'il a the chief opposition solvatory per ser considering en system for lacific er for cettiff familiales. Laif avers i the revita the clima that shows per alone garde hegit en fet bedient per quiette faith per existencia fre the "Gauge is N".
	ut) Chings in it from White 34 or 34 41) AC-
,	Sal Lies (a) T Lies (b') Sal A T u A
* 1707	pot filet roofs and wells require insulation only if accessible.
Erter the	A TA product hem
	prestitute line 3
Haltiply (Seriege	iina (6) = linp (7) en ebtein emmal estings le girun in feel units oboon in leble i) U 1 year astrings Co
To obtain	the estimated dollar project, weltigly line 4 times your fact cost (per calif.
Tree Tree	I damed boltice Seriogs . 4

WISCONSIN ADMINISTRATIVE CODE

ILHR 67

FIGURE 1 DEGREE DAYS

nsin Division of State Energy Degree Day Zones

MALT [
gat	CONTRACTES ?	19175 CF				
	bon ring 1	18 1208 6				
,	-0004554	5/G41.				
21	-0092618	i/ais.				
lateral Gas	.0003324	\$/00				
Hetricity	1566531	\$/£M				
loofe	147:10"	\$/ Copp				

TABLE 2 COURSE IN U FOR CHILDREN, NOW STREET & WALLS

Caretric Cleri Type (1)	Initial R Vetush (2)	Prise! (3)	Æ,
CI III DAG	_		
taflogred attic		34	.542
Cuffocuse Attie	19	38	.555
Deflocate Actio	it	33	.549
Floore & Attle	0	19	.157
Places direct	3.5	19	.556
Hat Lacia		19	-114
Sloped Ecof		LL	.124
Sloped Roof	0	42	.130
BOX SILL		13	.185
	3.5	13	.003
	11	19	011
MIL (open carity)		Ħ	.427
	3.3	ii.	.100
r E/C E	ģ 3.5	39	.194
	3.5	ŝi	. 443
	11	Li	.621
Chorse the change is 1) the type of c 1) the type of c the resity; 3) the finel R	f the free	aj Jectos pr	



INDICATE YOUR ZONE WITH

	Mingrit Strong Greated Little							
	est	1/2	itt	346	-651	111	IEL	HE
Charge 14 7 [455] Invitation	180-	-1110	-134	.111	-5225	-137	1774	-271
Change to 0 country Intulately	1 .044	.081	4111	.165	.204	.244	.274	.274
					_			
m) cturistics valid								
	1	E L	14 A) :	TO CTO	عا ادر	TIL		

Charle (a U same lantatum 199 - 171 - 171 - 172 - 173 - 173 - 173 - 173 - 173 - 173 - 173 - 174

Page 5

(4) Assess Bottan Sapinth Teken for from an elegenate analysis (much be able	m lite (9) or obed)	14) Account Serings -	
11) Determice the 5 year strings (unem	* *> icliettes)	bl) (tite til) a 5 = 5 jean earlings	•
12) Gost of the retrofft Chart be doom the fearing contractor:	unter with so settimes	eigned by il) Cost of Retrofic	<u></u>
=			¹
10) to the 3 year seefings greater than	the cust of the terrott	yes ik paye berk mithin 5 yene	
		65, it does may pay back within	s > years.
cost estimate. A processing fee of \$10 most	ak your calfulations am stroughty the opylication to come the spilication		ockibeet mos application sel cost mod insulation
2. 5 Th, Suphert Orlealitions (Ser	kelder an pegen 2 6 3 o	r orter documented method)	
2. 5 Th. haptert Calculations (Ser 3. Starting and Pictorus degicalis 4. Decementation of Bolt Ruck Cost	the conditions, (Paul billion lang that	s 6 maths els)	
D. Cont tretuint of the Countriet	et Bereier felgged by t	estrattes)	
6. \$19 Application For. 7. Sets to Ditm, Seezal Cult Tax:	py Afficiency Execution	s, F. G. Ben 7869, Mailace, WI 33737.	
Orthr's eligatture		Care	
		<u>-</u>	
Frejures's-eignetern		Cele	
All questions and competts concerning this ap 53507. Desirations for all "change of u" wal	plication should be dec- our are engiseble upon	eccel do the Yearhardsatica Program, Dieze, P.O. 1990at for \$2.00. TABLE 4 TYPICAL ESSENTIES VALUES OF M	
		TOTAL THEM INCOMES AGES OF E	THEFT.
MATERIAL	MICHIGAN . S. STATES		
Store fibergless or siceral wool Siethet or bette [f-glass or wiceral wool)	1 45. 16.0 3-V2" 11.63	the R value is for the specified thickness. different, you may take a direct proportion.	li its thirtsers is
(lock farante to exatg-1) atted up thereil	6" \$5.00 }	familities is I inches thick, the it salue was	(1.0. 32 241141246 24 bs 3 = 3.75 = 11.15
Cellulose (paper polp) Polystyreta (adided banda) does	12.72		
Polystycana (extraded amouth ship) from	1° j 5.00		
Bris formaldelyfa fean Scuthage (aged) form	1" [6.15]		1
Ye ratesilita	1" 2.12		
table expected from Bow to Signer Bret Loug. D.J. Selve, T.J. Boseth and L.L. Brooks.	6 Foat Coat by		
			•
ET de la destacación fon thomas descardance	A 450 Ataula dan sa ama	cell coefficient of best branefor. V compares t	
(1) by the inverse relationship: \$-1/8, \$-1, serment to the sea of 451 the resistances in	V Or the trenegittance i	Is awall to the favores of the environmen. The	Militare of any see
france serious is propertioned to the charge	in the %" (AD) militie	oling by the area of the building almost below .	couldend. Estimine
are there were of determining the product Al the All for Callings, a section for determine Foundations. Select the exciton that is apply	three they are specific ing the Aud for vells, nyriese for the element	plied by the eres of the building element heing , to particular building element. Darm in a to- the sills and Flory, and a sattlin fee detecti you are perferning the shallytim co.	eica for datemirtes
De reery sarings calculation used in the act is a summary of the calculation. References	elosed yorkshast confem era mode below the aquai	es to the method disperibed by Chapter ILSE 67. : tion to the yests of this form which corresponds	te following aquation to the equation-
is a summary of the calculation. References 21 + /ideptic day il. 1 / 11 x cal. 1	era mida belire tha aqual	tion to the perts of this form which corresponds LG = Aponal Aremy Sations (in units of fusi)	to following aquation to the equation.
to a summary of the colrelation. References	era mida belire tha aqual	tion to the parts of this form which corresponds	de following equation to the equation.
to a summary of the calculation. References	ALL RIVER FOLIAN CONTRACTOR	tion to the parts of this form which corresponds 18 - April Reigy Sarings (in make of fuel) I - Eleting Efficions Saring T - Northy Value of Soci (per mit)	he following agration to the agration.

Rental Unit Energy Efficiency Standards

-APPLICATION FOR INSPECTION-

ret & No			10 t. C 24. C 54				
IN I Ka						_i	
M I Ka			Has a Stp./ation 6		Hyer .	Street & No.	
1.40 ± 1623			issued for bidg?		S-		
701 0 1-0			Building Location.	Street & No.		Cey	Salt & Zp
,		State & Zip	□ City Name:	∏ Vida pe	□ Town	Telephone Number	
ephone N.,	mber		County			Person to contact for 8-4	section
						□ Oncer □	Manager
APa	er como√e	etina ma audstronnava be	elow. If you have deter	emered that you	or rendal unit is	rrequest an inspection to checkly with the Energy Conservationary, Labor and Human Reil euclided and wiff not required beds are required to the control of t	e a "Certificate" and
						sure that this request form is	
				REFEF	ENCE ILHA 67.0	P3	
125	м						
O	D	is the decong still	only rended between A	April 1 and Octo	ber 317		
O	D	Does the building h	tra four restal artis or	r fesa, one of w	tich is owner or	scupied?	
П	ם	-				r December 1, 1978, and is les	•
0	0		-	trits, was consi	tructed after Apr	rd 15, 1976, and is less than 1	iO years oʻs
D	a	is the building a mo	are tome?				
Ð		is the building a mi	ptel or hotel used prima	ardy for transie	व १६५२६५५४)		
		is the building a hor	spital or nothing i una	i)			
	O	is the building a cor	ndomásza Complex él	ectaned under C	24 pter 709, 8/5'	is before January 1, 19657	
	of the above		rd "yea" the building r	d antivided from	ithe requiremen	nts of Chapter ILHR 87 and ap	plication for certifica-
(Apres Escien	ompleted by Inspec	diffe quesconnaire above ctor before demership pan	and have determined state to be transferred. Pleas-	hatifie rentaliun e schejule en a	It described her appointment for	ein effirequire certification by Irapaction	ra Rental Unil Ezergy
		r(a) Signature tions of inspection and fee	e schedule are attache				Date .
Regular Legal D	d for inspi descriptio	rection must include the forms of Property (see deed or	Sering information:				

*Ourset before of conflict frequency (there who) was proceeded from Department of Industry, Labor and Ruman Relations, Safety and Burdongs Days On The Other Res (1909) Balabot, Miscores 20107- For inspection information, call 800 (60-31).

During 350-1871 (in Bid)

Doc. No				Rental Unit Energy Efficiency Standards tificate of Complian				Wiscons's Department of Industry Liber and Human Richards Division of Safety & Buildings P.O. 89: 1769 Redisjon, W. S3107 CCC	
Name of all Oak	6/3			N.	ter of Directory U	rits		Recording Stormation (ears blank)	
Street & No.				Building Lecution, Spreet & No. City County					
City Sale & Zo				Manager or Agency				1	
Ovter's Telepho	ne Nymber			Mar.	ager's Address			1	
Healthia unit eve a Scipulation? ()				N.E.	ager's Telephora	Number	1		
This certificat Energy Ellipte	a is to be co rey inspect-	repicted and signed b on. The original copy	must b	speci e revi	or currently acent	ed by the Department of the rental unit to	(a) Ind. (use at	ety, Labor and Human Relations for Revital Unit time of Ivariates of Changeship. RISPECTION DATES	
	ATFICATE O	HECKUST	1	2 3		NAMBER*	- 3	1	
Celling	A-	⊌_st ∎td R=			I	Ĭ	T-}	2	
Box S#s	A-	Mastedd R=				_	. 1 1	3	
Side Wa7	П=	Must add R=	\perp	Ш				4	
Floor	R=	Must add R =	\Box	Щ	<u> </u>		Ш	Section 181.122, Wisconsin	
Dust	R#	Max attiR=	_	Щ			44	Statutes, requires that an En-	
Stata Pice	R=	Must add R =	\perp	Ц.	 		\perp	ergy Efficiency Certificate, Sepulation or Waiver autho-	
Heat Pipe	R-	United 8=	1	Н	ļ			rized by the Department of in- dustry Labor and Human Refa-	
Aftic Door Foundation	R=	Must add R =		+	-	 	44	Early Cable and must be company the documents of Bansfor at	
Windows	M=	Mr. 001 84	+	H	 		+	the documents of bansfer at the lime of document records-	
Westhersproon			+	+	1		-11	tran. This process is defined in	
Caukina			-1	-		 	+	Chapter (UR 67, Wiscorein Administrative Code, A Certifi-	
Storra Doora		_		H	 	 	+	este is proof of comphence with the standards of RHR	
Aric & Grant S	pate Ventile	ion.		+		 	-₩	67 05. In Fey of the Certificate,	
Shower Flow R			+	+	1]	+	the purchaser may accept re- spots biftly for compliance	
Air Conditioner			\pm	\vdash	 		+	with either a Stroubston or a	
Water Heater in				Н	1	†	-1-1	Walver in accordance with RANGEZ DR	
Space & Water	Heater Euspe	Hto1	. [П		1	П	• •	

CERTIFICATE OF COMPLIANCE The results will glost be deliver the control of a strong control of the regy efficiency standards of the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and on the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the deliver complied with the R.F. Each applicable and the					
Inspector Signature	Date Certifed	Cersiled Inspector Number	Place DILHR Transfer		
This Certificate is valid for 5 ye signature above and is transfer	tra from the date of the inspector's rable during that period	DUM Transfer Authorization Number, C-	Authorization Number Stamp Here		

DEHR SSC-FIFE (N. 4-54)

Copy Ostrouton: White-Owner, Yellow-Outer, Green-Municipality Inspector, Park-Other

WISCONSIN ADMINISTRATIVE CODE

ILHR 67

	Rental Unit Energ
No	Efficiency Standard

Misconsin Department of Industry Labor and Human Relations Dursion of Safety & Buildings P.O. Bur 2009 Madach, Wil 53767

Waiver

Stre of all Daners	Number of Dwelling Units	Recording Information (Lesse Blank)
	Building Location, Street & No.	
D eet & No.	Cty Go.	nty
Zy See & Zo	Manager or Agency	
Jamer's Telephone Number	Manager's Assress	
egal Description of Pental Unit Property:	Manager's Telephone Number	

Section (MITM) Wickows - Status, reprise Pation Deep; Endorgy Centificate, Ship Action or Walver autorized by Problemant of the day, Labor and Harps Reference DEMP — Section Deep to double Software for residentially entire problems in the process in device of high patients and in Australia. Miscowin Administrative Code Residential Section (MITM) and Patients and Section (MITM) and Patients and Section (MITM) and Section (MITM). Section (MITM) and Section (MITM).

if a restal ont is school/ed for terrorson within ten years, the department or an authorized municipality may authorize a Walver to the Energy Efficiency Sandards of AMR 67.

Senders of 188 O.

The server of a constructive extend in receiving a Walvet must comprise the Native Address and Legal Description blocks above and have the purchase send the Structure address block belowing to The Walvet must be note that the Department of Industry Labor and Marian Renders or your managed with the senders of the Control of the Marian Renders or your managed with the properties of the Control of the managed place and only any senders or so industry and would be respectively when the address industry and would be propertied to adopt the Control of the Marian Renders and the English of the Control of Marian Renders and the Control of the Control of the Control of Walvet Door of the Control of the Cont

This document is mild only if no previous Walver is currently no file for this property.

In tieu of meeting the Bentst Unit Energy Relations (DEPR) of the above destricts demolstool (res) shart netty the agenty a ande with 1984 67 (60), AIM 56 17 (8) 9	Efficiency Certificate re (rental unif a demotion uthorizing this Wayler of	rguirements, n. Demotion if the date the	shad occur at this two seam of the	a aconto a cista na transfer i Levico -	
The date of banater is interpreted as the signed by the agency official (before). Proper date has body of banater return or by that he properly banater has not yell subcomed to DUHR, Salety and Banatery.	Purchaser	s Signature(s)	Oata Data		
trust be received within rune (5) months after the Waiver has been validated by the authorized agency or OHLHR.		Purchaser's Street & No.			
		Cty		Sale & Zp	
S-g-sture of Agency Official	Dala	 _	Expiration Date	Flace D'D-R Transfer	
Autoriting Ageray		- 1	R Transfer Auchorization	Authorization Number Stamp Here	

DILHR SBD-7116 (V. 4/84)

Copy Distribution White-Owner, Yellow-DILHR, Green-Municipality Projector, Pick-Other

Dec. No	-	Rental Unit Efficiency S		Wisconsin Department of Industry Labor and Human Relations Direction of Safety & Buildings P.O. Box 1969 Mischan, W. Sofot (Soig 266-315)	
		Stipul	ation		
Name of all Owners		Number of Deeting Units		Recording Information (Lesve Brank)	
·- 		Building Location, Street & No.		-	
Screet & No.		Öry	Courcy	-1	
29	Sain 8 70	Manager or Agency		1	
Owner's Telephone Number		Manager's Address	*****	1	
egal Description of Re-188 Unit Property.		Wanager's Telephoha Number			
•					

Section 101-122, Wiscorain Statutes inequires maker Entirgy Efficiency Certificate, Sepulation or Waker authorized by the Department of Industry, Labor and Human Personal DURGITUS discorains by the Common of the Certificate in Personal Section (Common of the Certificate in Personal Section of the Certificate in Personal Conference with UNIVERSIDE IN Common of the Certificate disposal accordance with the Certificate in Personal Conference with UNIVERSIDE IN COMMON of the Certificate disposal accordance with the Certificate under BURGITUS (COMMON OF CERTIFICATE IN COMMON OF CERTIFICATE IN CO

Signation. The serial or it may present his Signation signed by the purchaser and automated by the department or participating municipating in each the model of the contract of the purchaser and automated by the department of participating municipating the result and indecompliance with energy measures specified in Chapter Burk Brook Start Brook St

habitations. The entire and interested in receiving a Sepulation must complete the Nime, Address and Legal Description blocks above and have the purposes of the entire and interested in receiving a Sepulation must complete be submitted to the Object of the Control Human Relations of an authorized and the entire and the Control Human Relations of an authorized device of the Control Human Relations of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations, the Sepulation will be returned to the spirit of the Advance of the Control Human Relations of

I (we) accept all responsibility to bring the of transfer." This required action is in spe	above described rental	unit into con	AGREEMENT SPERON WIND CHAPPER ADHREST FOR EAST SUPPLET FOR THE SPERON STORE STANDARD	u ibao oce (I) vest kom me či
The date of transfer is interpreted as the dispret by the agency official (below). Profeed by the agency official (below). Profeed by the agency of transfer return on the distribution of the property fransfer has not yet automore to DUM, Safety and Buildings.	roof to establish any documentation show- tation place) must be	Purchases	ns* Signature(s)	Date Date
must be received within the (i) months has been validated by the authorized ego	Purchase Cey	's Street & No	Sale & Zo	
Signature of Agency Official	Cate	1	Expiration Date	Place DU-R Transfer
Astronium Agency	DURI Trusfer Authorization Munitier: S		Authorization Number Stamp	